

NetworkWorkbench

A Workbench for Network Scientists

A Tool For Large Scale Network Analysis, Modeling and Visualization

Weixia (Bonnie) Huang

*Cyberinfrastructure for Network Science Center
School of Library and Information Science
Indiana University, Bloomington, IN*

Network Workbench (<http://nwb.slis.indiana.edu>)

1

NetworkWorkbench

A Workbench for Network Scientists

Project Details

Investigators: Katy Börner, Albert-Laszlo Barabasi, Santiago Schnell, Alessandro Vespignani & Stanley Wasserman, Eric Wernert



Software Team: Lead: Weixia (Bonnie) Huang
Developers: Santo Fortunato, Russell Duhon, Bruce Herr, Tim Kelley, Micah Walter Linnemeier, Megha Ramawat, Ben Markines, M Felix Terkhorn, Ramya Sabbineni, Vivek S. Thakre, & Cesar Hidalgo

Goal: Develop a large-scale network analysis, modeling and visualization toolkit for physics, biomedical, and social science research.

Amount: \$1,120,926, NSF IIS-0513650 award

Duration: Sept. 2005 - Aug. 2008

Website: <http://nwb.slis.indiana.edu>

Network Workbench (<http://nwb.slis.indiana.edu>)

2

NWB Advisory Board:

James Hendler (Semantic Web) <http://www.cs.umd.edu/~hendler/>
 Jason Leigh (CI) <http://www.evl.uic.edu/spiff/>
 Neo Martinez (Biology) <http://online.sfsu.edu/~webhead/>
 Michael Macy, Cornell University (Sociology)
<http://www.soc.cornell.edu/faculty/macy.shtml>
 Ulrik Brandes (Graph Theory) <http://www.inf.uni-konstanz.de/~brandes/>
 Mark Gerstein, Yale University (Bioinformatics) <http://bioinfo.mbb.yale.edu/>
 Stephen North (AT&T) <http://public.research.att.com/viewPage.cfm?PageID=81>
 Tom Snijders, University of Groningen <http://stat.gamma.rug.nl/snijders/>



- ☐ What is “Network Science” and its challenges
- ☐ Major contributions of Network Workbench (NWB)
- ☐ Present the underlying technologies – NWB tool architecture
- ☐ Demo and hand-on NWB tool
- ☐ Review some large scale network analysis and visualization works

Basic Concepts

- ☐ Network or Graph or Matrix
- ☐ Nodes or Vertices
- ☐ Edges or Links
- ☐ Undirected vs. Directed network
 - $A \leftrightarrow B$ $A \rightarrow B \Leftrightarrow B \rightarrow A$
- ☐ Symmetric vs. Asymmetric matrix

	Ann	Bob	Chris	David
Ann	0	3	2	1
Bob	3	0	2	3
Chris	2	2	0	1
David	1	3	1	0


	Ann	Bob	Chris	David
Ann	0	3	2	1
Bob	1	0	2	3
Chris	1	2	0	3
David	2	3	1	0

More Basic Concepts

- ☐ Undirected network == Symmetric matrix
- ☐ Directed network == Asymmetric matrix
- ☐ Weighted vs. Unweighted network
- ☐ Two-mode vs. One-mode network
- ☐ Self loop
- ☐ Multiple edges
- ☐ Multigraph

Mapping the Evolution of Co-Authorship Networks

Ke, Viswanath & Börner, (2004) Won 1st prize at the IEEE InfoVis Contest.



31

NetworkWorkbench

A Workbench for Network Scientists


Mapping Topic Bursts

Co-word space of the top 50 highly frequent and bursty words used in the top 10% most highly cited PNAS publications in 1982-2001.

Mane & Börner. (2004) PNAS, 101(Suppl. 1): 5287-5290.



Network Workbench (<http://nwb.slis.indiana.edu>).



- ☐ Physicists study large scale network data such as Internet. In this case, each node represents a website, an edge between two nodes indicates that one website contains a URL link pointing to another website.
- ☐ Store Network data as an edge list
- ☐ Study Network Structure
 - Scale Free – a power law degree distribution
 - Random – a Poisson distribution
 - Small World -- a network with a small shortest path and a clustering coefficient significantly higher than that of a random network with similar nodes and edges

- ☐ Biologists study gene or protein networks. In this context, each node represents a gene or a protein, an edge between two nodes indicates the interaction between gene-gene or protein-protein.
- ☐ Store in various formats: edge list, nwb format, GraphML format, etc.
- ☐ Some sample datasets are provided in the nwb tool
- ☐ Using various layout algorithms to visualize a network with different annotations (look at a network from different view)

- ❑ Social Scientists study interactions among people.
- ❑ Usually small datasets less than 100 nodes
- ❑ Rich attribute information for nodes and edges
- ❑ Store in various formats: GraphML, Pajek .net, matrix
- ❑ Some sample datasets are provided in the nwb tool
- ❑ Network Analysis
 - Remove Nodes:
 - Run High Degree Node Deletion on a BA network
 - Remove Edges:
 - Run Pathfinder Network Scaling on the terror network

Network Science

“A science concerned with the study of networks, be they biological, technological, or scholarly networks. It contrasts, compares, and integrates techniques and algorithms developed in disciplines as diverse as mathematics, statistics, physics, social network analysis, information science, and computer science.”

Quote from Börner, Katy, Sanyal, Soma and Vespignani, Alessandro. (2007). [Network Science: A Theoretical and Practical Framework](#) In Blaise Cronin (Ed.), [Annual Review of Information Science & Technology](#), Volume 41, Medford, NJ.

❑ Data

- Different data formats
- Different data models

❑ Algorithms

- Different research purposes (preprocessing, modeling, analysis, visualization, clustering)
- Different implementations of the same algorithm
- Different programming languages

❑ Match between Data and Algorithms

❑ Different communities and practices

❑ Different tools (Pajek, UCInet, Guess, Cytoscape, R, NWB tool)

❑ Network Workbench (NWB) Tool

- A network analysis, modeling, and visualization toolkit for physics, biomedical, and social science research.
- Can install and run on multiple Operating Systems.
- Uses Cyberinfrastructure Shell Framework underneath.

❑ Cyberinfrastructure Shell (CIShell)

- An open source, software framework for the integration and utilization of datasets, algorithms, tools, and computing resources.
- Uses OSGi and Equinox

❑ NWB Community Wiki

- A place for users of the NWB Tool, the Cyberinfrastructure Shell (CIShell), or any other CIShell-based program to request, obtain, contribute, and share algorithms and datasets.
- All algorithms and datasets that are available via the NWB Tool have been well documented in the Community Wiki.

NetworkWorkbench
A Workbench for Network Scientists
Community Wiki
Print | Search: [] [Go]

Main
People
NWB Tool
Update Sites
Custom Fillings

Datasets
Algorithms
Load Data
Sample Data
Analyze Data

Measurement
Local
Edge/Node Level
Node Degree
Node Indegree
Node Outdegree
Max Flow Edge
Degree Distributions
Undirected Degree Distribution
Indegree Distribution
Outdegree Distribution
Outdegrees Distribution
Degree Correlations
Undirected K-Nearest Neighbor
Directed K-Nearest Neighbor
One Point

<< | Algorithms | >>

Analyze Data Algorithms

This section is for algorithms that can analyze data. Examples would be Betweenness Centrality, Attack Tolerance, etc...

Analyze Data
Edit
Measurement
Local

Edge/Node Level
Node Degree
Node Indegree
Node Outdegree
Max Flow Edge
Degree Distributions
Undirected Degree Distribution
Indegree Distribution
Outdegree Distribution
Degree Correlations
Undirected K-Nearest Neighbor
Directed K-Nearest Neighbor
One Point Correlations
Clustering Coefficient
Watts Strogatz Clustering Coefficient
Watts Strogatz Clustering Coefficient Over k
Newman Clustering Coefficient
Newman Clustering Coefficient Over k
Other Local Measurements
Distribution of Weights
k-Core Count
Coherence for Weighted Graphs

Network Workbench (<http://nwb.slis.indiana.edu>)
15

NetworkWorkbench
A Workbench for Network Scientists
Community Wiki (cont.)
Custom Fillings / Home Page

Main
People
NWB Tool
Update Sites
Custom Fillings

Datasets
Algorithms
Related Work
FAQ

Statistics
Digg It!
Reddit SUBMIT
Del.icio.us
RSS

Custom Fillings

Many scientists use a very specific subset of [algorithms](#) and [datasets](#) in their work. Here, we link to custom fillings designed by different researchers. Descriptions of custom fillings frequently resemble learning modules providing an easy introduction into the working styles of different sciences.

Physics

[Analysis of Large-Scale Networks](#) by Soma Sanayal

Biology

[Analysis of Biological Networks](#) by Cesar A. Hidalgo R.

Scientometrics

[Modeling the Co-Evolution of Co-Author and Paper-Citation Networks](#) by Soma Sanayal & Katy Börner
[Map Your Bibtex File](#)² by Bruce Herr & Katy Börner **coming soon**
[Semantic Analysis of Scholarly Data](#)² by Katy Börner **coming soon**

Internet Research

[Error and Attack Tolerance of Networks](#) by Katy Börner and Hardik Sheth
[Search Performance of P2P Networks](#) by Hardik Sheth and Katy Börner

Others

[Data Conversion Service](#) by Weixia (Bonnie) Huang & Bruce Herr

Network Workbench (<http://nwb.slis.indiana.edu>)
16

Download from <http://nwb.slis.indiana.edu/software.html>

Major features in v0.6.0 Release

- Installs and runs on Windows, Linux x86 and Mac osx.
- Provides over 50 modeling, analysis and visualization algorithms. Half of them are written in Fortran, others in Java.
- Supports large scale network modeling and analysis (over 100,000 nodes)
- Supports various visualization layouts with node/edge annotation.
- Provides several sample datasets with various formats.
- Supports multiple ways to introduce a network to the NWB tool.
- Supports the loading, processing and saving of four basic file formats: GraphML, Pajek .net, XGMML and [NWB](#). Can load and view TreeML, edge list, etc.
- Supports automatically Data Conversion.
- Provides a Scheduler to monitor and control the progress of running algorithms.
- Integrates a 2D plotting tool -- Gnuplot.

Modeling and Network Generation

Random Network Model
Random

Preferential Attachment Algorithms

Barabasi-Albert Model
Dorogovtsev-Mendes-Samukhin
Fitness
Vertices/edges deletion
Copying strategy
Finite vertex capacity
TARL

Rewiring algorithms

Rewiring based on degree distribution
Watts Strogatz Small World Model

Peer-to-Peer Models

Structured
CAN Model
Chord Model

Unstructured

PRU Model
Hypergrid Model

Statistical Measurement

Edge/Node level

node degree
BC value of nodes/edges
Max flow edge
Hub/Authority value for nodes
Distribution of node distances (Hop plot)
Local (directed and weighted versions)
Clustering Coefficient (Watts Strogatz)
Clustering Coefficient (Newman)
k-Core Count
Distributions (Plot and gamma, and R^2)
Degree Distributions (in, out, total) (Directed/TotalDegree Distribution)
Degree Correlations (in-out, out-out, out-in, in-in, total-total)
Clustering Coefficient over k
Coherence for weighted graphs
Distribution of weights
Probability of degree distribution
Global
Density
Square of Adjacency Matrix
Giant Component
Strongly Connected Component
Betweenness Centrality
Diameter
Shortest Path = Geodesic Distance
Average Path Length

Motif Identification
Page Rank
Closeness centrality
Reach centrality
Eigenvector centrality
Minimum Spanning Tree

More Algorithms

Searching on Networks

Search

k Random-Walk Search
Depth First Search
p-rand Breadth-First Search
P2P
CAN Search
Chord Search

Epidemics Spreading

SIR
SIS

Graph Matching On Networks

Simple Match
Similarity Flooding
ABSURDIST

Clustering on Networks

Based on Attributes

Hierarchical Clustering
Single Link
Complete Link
Average Link
Ward's Algorithm

Based on Network Structure

Newman Girvan
Clauset-Newman-Moore
Newman
Cecconi-Parisi
Simulated annealing of modularity
Caldarelli
Weak Component Clustering
vanDongen (random walk)
Clfinder (Clique percolation method)
Reichardt, Bornholdt (q-potts model)

Visualization of Networks


Distribution
Scatterplot
Histogram
Geospatial
Circle layout
Grid-based
Dendrogram
Treemap
Hyperbolic tree
Radial Tree
Sparse Matrix Visualization
Kamada-Kawai
Fruchterman-Reingold
Orthogonal Layout
k-core visualization

NWB Tool – Algorithms (Implemented)

Category	Algorithm	Language	Analysis Algorithm	Language
Preprocessing	Random Node Deletion	JAVA	Node Betweenness Centrality	FORTRAN
	High Degree Node Deletion	JAVA	Average Shortest Path	FORTRAN
	Pathfinder Network Scaling	JAVA	Connected Components	FORTRAN
	Directory Hierarchy Reader	JAVA	Diameter	FORTRAN
Modeling	Erdős-Rényi Random	FORTRAN	Page Rank	FORTRAN
	Barabási-Albert Scale-Free	FORTRAN	Shortest Path Distribution	FORTRAN
	Watts-Strogatz Small World	FORTRAN	Watts-Strogatz Clustering Coefficient	FORTRAN
	Chord	JAVA	Watts-Strogatz Clustering Coefficient Versus Degree	FORTRAN
	CAN	JAVA	Directed k-Nearest Neighbor	FORTRAN
	Hypergrid	JAVA	Undirected k-Nearest Neighbor	FORTRAN
	PRU	JAVA	Indegree Distribution	FORTRAN
	TARL	JAVA	Outdegree Distribution	FORTRAN
Visualization	Tree Map	JAVA	Node Indegree	FORTRAN
	Tree Viz	JAVA	Node Outdegree	FORTRAN
	Radial Tree / Graph	JAVA	One-point Degree Correlations	FORTRAN
	Kamada-Kawai	JAVA	Undirected Degree Distribution	FORTRAN
	Force Directed	JAVA	Node Degree	FORTRAN
	Spring	JAVA	k Random-Walk Search	JAVA
	Fruchterman-Reingold	JAVA	Random Breadth First Search	JAVA
	Circular	JAVA	CAN Search	JAVA
			Chord Search	JAVA
			Weak Component Clustering	JAVA
			Tool: GnuPlot	

Abstract Algorithm Definition

An Abstract Definition of Algorithms, Datasets and Converters




Network Workbench (<http://nwb.slis.indiana.edu>).

21

Abstract Algorithm Definition (cont.)

Modeling Algorithms



Network Workbench (<http://nwb.slis.indiana.edu>)

22

NetworkWorkbench

Abstract Algorithm Definition (cont.)

Analysis Algorithms

Inputs

Clustering

Input Parameters:

Number of bins: 10

The average clustering coefficient:

Undirected K-Nearest Neighbor v

Author(s): R. Pastor-Satorras, A. Vazquez, A. Vespignani

Implementer(s): Santo Fortunato

Integrator(s): Santo Fortunato, Weixia Huang

Reference: Pastor-Satorras, R., Vazquez, A. and Vespignani, A. (2001). Dynamical and Correlation Properties of the Internet. Physical Review Letters, 87:258701. (<http://people.las.edu/~vazquez/publications/internet.prl.pdf>)

Docu: <https://nwb.sls.indiana.edu/community/?n=AnalyzeData.UndirectedK-NearestNeighbor>

Watts-Strogatz Clustering Coefficient: was selected.

Author(s): D. J. Watts, S. H. Strogatz

Implementer(s): Santo Fortunato

Integrator(s): Santo Fortunato, Weixia Huang

Reference: Watts, D. J., Strogatz, S. H. (1998). Collective dynamics of 'small-world' networks. Nature, 393:440-442. (http://tam.cornell.edu/SS_nature_smallworld.pdf)

Docu: <https://nwb.sls.indiana.edu/community/?n=AnalyzeData.ClusteringCoefficientWattsStrogatz>

Outputs

- List of edges of network created through the bin
- Sequence of clustering coefficients for network
- Distribution of clustering coefficients for network
- Distribution of clustering coefficients for network

Network Workbench (<http://nwb.sls.indiana.edu>)

23

NetworkWorkbench

Abstract Algorithm Definition (cont.)

Visualization Algorithms

Input

Visualization

Input Parameters:

Seed of random number generator: 1

Links set by new node: 2

Number of nodes: 1000

Load... was selected.

Loaded: C:\apps\nwb-0.5.0\sampledata\Network\netsci06-confi

Radial Tree/Graph (Alpha) was selected.

Author(s): G. Battista, P. Eades, R. Tamassia, I. G. Tollis

Implementer(s): Prefuse

Integrator(s): Weixia Huang

Reference: Battista, G., Eades, P., Tamassia, R., and Tollis, I. G. (1999). Graph Drawing: Algorithms for the Visualization Prentice Hall.

Docu: <https://nwb.sls.indiana.edu/community/?n=VisualizeData.RadialTree>

Output


Palex.net file: C:\apps\nwb-0.5.0\sampledata\

Radial Graph Visualization

Network Workbench (<http://nwb.sls.indiana.edu>)

24

Converters and Conversion Services Between Various Data Formats



Network Workbench (<http://nwb.sls.indiana.edu>).

25

Application Users

- ❑ Scientists in the natural and social sciences (physics, biology, chemistry, psychology, sociology, etc.)
- ❑ Their needs -- want to find the best datasets and the most effective algorithms to conduct their research.
- ❑ Problem – too many algorithms. Finding a correctly working piece of code is challenging. Frequently, not only one but a sequence of different algorithms needs to be applied to load, parse, clean, mine, analyze, model, visualize, and print data. Today, there is no easy way to extend a tool by adding new algorithms as needed or to customize a tool so that it exactly fits the needs of a specific user (group).

Network Workbench (<http://nwb.sls.indiana.edu>).

26

Application Designers/Developers

- ❑ Computer scientists or application users that developed the applications and tools we use today.
- ❑ They usually start by developing applications/tools that meet their own needs, and then generalize them to satisfy the requirements of their research community.
- ❑ Challenge -- not only need to take care of the software architecture, the GUI design, the development of many basic components and functionalities, but also play the role of algorithm developers.

Algorithm Developers

- ❑ Computer scientists, statisticians and other researchers
- ❑ They look for opportunities to disseminate their work and test the practical utilities of their algorithms.
- ❑ Challenge -- the integration of a dataset or algorithm into an existing application or tool requires a deep understanding of the architecture of that application, which is non-trivial.

NWB/CIShell is built upon the Open Services Gateway Initiative (OSGi) Framework.

OSGi (<http://www.osgi.org>) is


- ❑ A standardized, component oriented, computing environment for networked services.
- ❑ Alliance members include IBM (Eclipse), Sun, Intel, Oracle, Motorola, NEC and many others.
- ❑ Has successfully been used in the industry from high-end servers to embedded mobile devices for 8 years now.
- ❑ Widely adopted in open source realm, especially since Eclipse 3.0 that uses OSGi R4 for its plugin model.

Advantages of Using OSGi


- ❑ Directly use many components provided by OSGi framework, such as service registry
- ❑ Contribute diverse algorithms to OSGi community -- any CIShell algorithm becomes a service that can be used in any OSGi-based framework.
- ❑ Running CIShells/tools can connect to each other via exposed CIShell-defined web services supporting peer-to-peer sharing of data, algorithms, and computing power.

Ideally, CIShell becomes a standard for creating algorithm services in OSGi developed Tools/CI, e.g., IVC&NWB will be using the CIShell reference GUI

Service Oriented Component-based Architecture




An Overview of NWB/CIShell Architecture



Network Workbench (<http://nwb.sls.indiana.edu>)

31

An Abstract Definition of Algorithms, Datasets and Converters



Network Workbench (<http://nwb.sls.indiana.edu>)

32



Basic Algorithm APIs

```
public interface AlgorithmFactory {
    public MetaTypeProvider createParameters(Data[] data);
    public Algorithm createAlgorithm( Data[] data, Dictionary parameters,
                                     CShellContext context);
}
```

```
public interface Algorithm {
    public Data[] execute();
}
```


Advanced Algorithm APIs (optional)

DataValidator and ProgressTrackable Interfaces



Basic Services

- ☐ Preferences Service
- ☐ Log Service
- ☐ Data Conversion Service
- ☐ GUI Builder Service




Network Workbench (<http://nwb.sls.indiana.edu/>)

35

Application Services

- ☐ Scheduler Service
- ☐ Data Manager Service




Network Workbench (<http://nwb.sls.indiana.edu/>)

36

Other Framework Components

- ☐ CIShellContext
- ☐ Data




Network Workbench (<http://nwb.sls.indiana.edu/>)

37

Basic Services

- ☐ Preferences Service
- ☐ Log Service
- ☐ Data Conversion Service
- ☐ GUI Builder Service




Network Workbench (<http://nwb.sls.indiana.edu/>)

38

Application Services

- ☐ Scheduler Service
- ☐ Data Manager Service




Network Workbench (<http://nwb.sls.indiana.edu>)

39

Other Framework Components

- ☐ CShellContext - LocalCShellContext
- ☐ Data - BasicData




Network Workbench (<http://nwb.sls.indiana.edu>)

40

Reference GUI (using Eclipse RCP)


- ☐ Framework View
- ☐ Data Manager View
- ☐ Console(log) View
- ☐ Scheduler View
- ☐ Menu Manager



Network Workbench (<http://nwb.sls.indiana.edu>)

41

Other application solutions




Network Workbench (<http://nwb.sls.indiana.edu>)

42

NWB Tool

- ☐ Analyze, visualize and model network/graph
- ☐ Support most popular data formats and data conversion among them
- ☐ Serve three communities with different practices




Network Workbench (<http://nwb.sls.indiana.edu>)

43

Biological Networks Portal

- ☐ Use Web front-end solution
- ☐ For educational purpose




Network Workbench (<http://nwb.sls.indiana.edu>)

44

For Algorithm Developers (Java-based)


- ❑ Must implement CShell Algorithm APIs
- ❑ Know how to use Basic Services APIs, Application Services APIs, CShellContext, and Data APIs, but don't need to take care of the detail implementations of those services or components.



Network Workbench (<http://nwb.slis.indiana.edu>)

45

Metadata of an Algorithm




```

nwb.product edu.iu.iv.algorit... validation.proper... service.properties x
menu_path=Modeling/additions
label=Barabási-Albert Scale-Free
description=Barabási-Albert algorithm implementation
# each input file will be mapped to inFile[x] (zero based)
in_data=null
# for all input files, 'null' if no input data needed
out_data=file:text/nwb
# for all output files
# each output file will correspond to outFile[x] (zero based)
service.pid=edu.iu.nwb.modeling.barabasi.albert
remoteable=true
authors=A.-L. Barabási and R. Albert.
implementers=Santo Fortunato
integrators=Santo Fortunato, Weixia Huang
reference=Barabási, A.-L. & Albert, R. (1999). Emergence of Scaling in Random
reference_url=http://lanl.arxiv.org/abs/cond-mat/9910332
docu=https://nwb.slis.indiana.edu/community/?n=ModelData.BarabSi-AlbertScale
    
```

Network Workbench (<http://nwb.slis.indiana.edu>)

46

GUI Builder and MetaType Service




Network Workbench (<http://nwb.sls.indiana.edu>)

47

Component Level

- ❑ Using OSGi service implementations from different vendors
- ❑ Each service/component can have more than one implementations




Network Workbench (<http://nwb.sls.indiana.edu>)

48

Application Designers Need to Know

Framework Level

- ☐ Use all implementations of algorithms and converters
- ☐ Use all implementations on the service layer
- ☐ Concentrate on application solutions
- ☐ Use or refer to the reference implementations of an application




Network Workbench (<http://nwb.sls.indiana.edu>)

49

Application Users

- ☐ Get the most efficient algorithm implementations
- ☐ Get as many algorithms as needed
- ☐ Have tools running on multiple platforms and various application solutions
- ☐ Don't worry about the match between the data format of a dataset vs. algorithm input



Network Workbench (<http://nwb.sls.indiana.edu>)

50

NWB tool and CShell provide

- ❑ A testing bed for diverse algorithm implementations
- ❑ A mechanism to quickly integrate an algorithm and disseminate it through the NWB tool and community wiki.
- ❑ A bridge between what algorithm developers can provide and what application users need.

The screenshot shows the Network Workbench application window. Several components are labeled with arrows pointing to them:

- Load Data:** Points to the 'File' menu.
- Select Preferences:** Points to the 'Preferences' dialog box.
- List of Data Models:** Points to the 'Data Models' panel on the right.
- Console:** Points to the 'Console' window at the bottom left.
- Scheduler:** Points to the 'Scheduler' window at the bottom left.
- Visualize Data:** Points to the 'Visualize Data' window showing a network graph.
- Open Text Files:** Points to the 'Open Text Files' window at the bottom right.

Examples

- ❑ A Map of Science (800,000 published papers)
- ❑ An Emergent Mosaic of Wikipedian Activity (659,388 interconnected Wikipedia articles, 16,582,425 links)
- ❑ Movies and Actors: Mapping the Internet Movie Database (302,691 movies, 896,308 unique actors, 3,792,390 links)

Towards Large Scale Network Analysis and Visualization

- ❑ Visualization Challenges
- ❑ Overlay on a base map (Google Map, Science Map)
- ❑ Network Dynamics

- ❑ Herr, Bruce W., Huang, Weixia, Penumarthy, Shashikant, & Börner, Katy. (2007). [Designing Highly Flexible and Usable Cyberinfrastructures for Convergence](#), In William S. Bainbridge and Mihail C. Roco (Eds.) Progress in Convergence – Technologies for Human Wellbeing. Annals of the New York Academy of Sciences, Boston, MA, Volume 1093, pp. 161-179.
- ❑ Börner, Katy, Sanyal, Soma and Vespignani, Alessandro. (2007). [Network Science: A Theoretical and Practical Framework](#). (in press) In Blaise Cronin (Ed.), [Annual Review of Information Science & Technology](#), Volume 41, Medford, NJ: [Information Today](#), Inc./American Society for Information Science and Technology, chapter 12, pp. 537-607.
- ❑ Börner, Katy, Penumarthy, Shashikant, Meiss, Mark and Ke, Weimao. (2006). [Mapping the Diffusion of Scholarly Knowledge](#) Among Major U.S. Research Institutions. [Scientometrics](#). 68(3), pp. 415-426.
- ❑ Börner, Katy, Chen, Chaomei, and Boyack, Kevin. (2003). [Visualizing Knowledge Domains](#). In Blaise Cronin (Ed.), [Annual Review of Information Science & Technology](#), Volume 37, Medford, NJ: [Information Today](#), Inc./American Society for Information Science and Technology, chapter 5, pp. 179-255

- ❑ Ketan Mane and Katy Börner. (2004) Mapping Topics and Topic Bursts in PNAS. PNAS, 101(Suppl. 1):5287-5290. Also available as cond-mat/0402380.
- ❑ Kevin W. Boyack, Richard Klavans , W. Bradford Paley , Katy Börner [Mapping, Illuminating, and Interacting with Science](#) one of the 96 accepted (out of 500 submitted) Siggraph 07 sketches.
- ❑ Holloway, Todd, Bozicevic, Miran, and Börner, Katy. (2007) [Analyzing and Visualizing the Semantic Coverage of Wikipedia and Its Authors](#). Complexity, Special issue on Understanding Complex Systems. 12(3), pp. 30-40. Also available as [cs.IR/0512085](#).
- ❑ Bruce W. Herr, Weimao Ke, Elisha Hardy & Katy Börner (2007). [Movies and Actors: Mapping the Internet Movie Database](#). Submitted to Information Visualisation Conference, ETH Zürich, Switzerland.

Websites

- ❑ <http://nwb.slis.indiana.edu>
- ❑ <https://nwb.slis.indiana.edu/community>
- ❑ <http://cishell.org>
- ❑ <http://cns-trac.slis.indiana.edu/trac/>

NSF IIS-0513650 award

Thank You